

## INSTRUCTIONS TO THE DRIVER

You may use this medical examination report when applying for a Commercial California Driver License (CDL) or certificates (School Bus, Youth Bus, SPAB, GPPV, or Farm Labor) that require a medical examination. This report also meets United States Department of Transportation (DOT) requirements. A driver who does not meet DOT's medical standards may, after evaluation by the Department of Motor Vehicles (DMV), be issued a restricted license if DMV determines the driver's condition will not affect his or her ability to drive safely.

- Drivers applying for, or who hold, a certificate to drive a School Bus, School Pupil Activity Bus, Youth Bus, General Public Paratransit Vehicle, or Farm Labor Vehicle must have their examination performed by a Physician Assistant, Advanced Practice Registered Nurse, Doctor of Medicine (MD), or Doctor of Osteopathy (DO). The Medical Examination Report and Medical Certificate **must** be signed by the medical examiner who performed the examination.
- School bus drivers 65 years of age and older must submit a new medical report to DMV every year. (Vehicle Code Section 12517.2b)
- Drivers with a Restricted Firefighter's License may use DMV's Health Questionnaire (DL 546), rather than this medical report.
- Drivers with a Non-Commercial Class C license, with a Firefighter endorsement, may use DMV's

Physician's Health Report (DL 546A), rather than this medical report.

- The Health Questionnaire (DL 546) may also be used by drivers applying for a Non-Commercial Class A license and those drivers who need the Agricultural Hazardous Materials or Waste Transportation Verification of Training.

### Class A, B, or Commercial C License

The law says you must have a valid medical certificate (dated within two years) with you whenever you drive a class A or B or commercial C vehicle. This law also requires you to give a medical report to DMV when you first apply for the license and every two years thereafter. If the medical report is incomplete, your license application will be delayed or denied.

If you qualify by using a hearing aid, you must wear the hearing aid and use it whenever you are driving. Also, you must keep with you a spare power source to use in the hearing aid.

Federal Law requires that you disclose the type of commercial operation you are engaged in.

- Non-Excepted Interstate: License does not restrict the transport, origination, or destination of the load to be transported.
- Non-Excepted Intrastate: License is restricted to operation in California only. You may only transport cargo that originates in and the final destination is in California. While driving commercially you may not cross state or international borders.

- Excepted Interstate: California does not issue a commercial driver license that is excepted from driver qualification requirements.
- Excepted Intrastate: California does not issue a commercial driver license that is excepted from driver qualification requirements.

Drivers renewing their medical certificate may mail this report to:

Department of Motor Vehicles  
CDL Unit, G204  
P. O. Box 944278  
Sacramento, CA 94244-2780

If you are required to have a CDL as part of your job, your employer shall pay the cost of the examination unless it was taken before you applied for the job (Labor Code §231).

Your social security number is now required by law. Please bring your social security card or other acceptable documentation with you to the DMV office.

### Information on Drug Testing

Federal regulations and state law have established minimum standards for commercial motor carriers' antidrug programs including testing for the use of controlled substances. This testing requirement applies to drivers required to have a Commercial drivers license.

Your employer will tell you whether or not your medical exam should include a drug test.

## 49 CFR 391.41 PHYSICAL QUALIFICATIONS FOR DRIVERS — THE DRIVER'S ROLE

Responsibilities, work schedules, physical and emotional demands, and lifestyles among commercial drivers vary by the type of driving that they do. Some of the main types of drivers include the following: turn around or short relay (drivers return to their home base each evening); long relay (drivers drive 8-10 hours and then have a 10-hour off-duty period), straight through haul (cross country drivers); and team drivers (drivers share the driving by alternating their 5-hour driving periods and 5-hour rest periods).

The following factors may be involved in a driver's performance of duties: abrupt schedule changes and rotating work schedules, which may result in irregular sleep patterns and a driver beginning a trip in a fatigued condition; long hours; extended time away from family and friends, which may result in lack of social support; tight pickup and delivery schedules, with irregularity in work, rest, and eating patterns, adverse road, weather and traffic conditions, which may cause delays and lead to hurriedly loading or unloading cargo in order to compensate for the lost time; and environmental conditions such as excessive vibration, noise and extremes in temperature. Transporting passengers or hazardous materials may add to the demands on the commercial driver.

There may be duties in addition to the driving task for which a driver is responsible and needs to be fit. Some of these responsibilities are: coupling and uncoupling trailer(s) from the tractor, loading and unloading trailer(s) (sometimes a driver may lift a heavy load or unload as much as 50,000 lbs. of freight after sitting for a long period of time without any stretching period); inspecting the operating condition of tractor and/or trailer(s) before, during, and after delivery of cargo; lifting, installing, and removing heavy tire chains; and, lifting heavy tarps to cover open top trailers. The above tasks demand agility, the ability to bend and stoop, the ability to maintain a crouching position to inspect the underside of the vehicle, frequent entering and exiting of the cab, and the ability to climb ladders on the tractor and/or trailer(s).

In addition, a driver must have the perceptual skills to monitor a sometimes complex driving situation, the judgment skills to make quick decisions, when necessary, and the manipulative skills to control an oversize steering wheel, shift gears using a manual transmission, and maneuver a vehicle in crowded areas.

### §391.41 PHYSICAL QUALIFICATIONS FOR DRIVERS

(a)(1)(i) A person subject to this part must not operate a commercial motor vehicle unless he or she is medically certified as physically qualified to do so, and, except as provided in paragraph (a)(2) of this section, when on-duty has on his or her person the original, or a copy, of a current medical examiner's certificate that he or she is physically qualified to drive a commercial motor vehicle.

(ii) A person who qualifies for the medical examiner's certificate by virtue of having obtained a medical variance from FMCSA, in the form of an exemption letter or a skill performance evaluation certificate must have on his or her person a copy of the variance documentation when on-duty.

(2) CDL exception. (i) Beginning January 30, 2014, a driver required to have a commercial driver's license under part 383 of this chapter, and who submitted a current medical examiner's certificate to the State in accordance with § 383.71(h) of this chapter documenting that he or she meets the physical qualification requirements of this part, no longer needs to carry on his or her person the medical examiner's certificate specified at § 391.43(h), or a copy for more than 15 days after the date it was issued as valid proof of medical certification.

(ii) A CDL holder required by § 383.71(h) to obtain a medical examiner's certificate, who obtained such by virtue of having obtained a

medical variance from FMCSA, must continue to have in his or her possession the original or copy of that medical variance documentation at all times when on-duty.

(3) A person is physically qualified to drive a commercial motor vehicle if:

(i) That person meets the physical qualification standards in paragraph (b) of this section and has complied with the medical examination requirements in § 391.43; or

(ii) That person obtained from FMCSA a medical variance from the physical qualification standards in paragraph (b) of this section and has complied with the medical examination requirement in § 391.43.

(b) A person is physically qualified to drive a motor vehicle if that person:

(1) Has no loss of a foot, a leg, a hand, or an arm, or has been granted a Skill Performance Evaluation (SPE) Certificate (formerly Limb Waiver Program) pursuant to §391.49.

(2) Has no impairment of: (i) A hand or finger which interferes with prehension or power grasping; or (ii) An arm, foot, or leg which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or any other significant limb defect or limitation which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or has been granted a SPE certificate pursuant to §391.49.

(3) Has no established medical history or

clinical diagnosis of diabetes mellitus currently requiring insulin for control.

(4) Has no current clinical diagnosis of myocardial infarction, angina pectoris, coronary insufficiency, thrombosis, or any other cardiovascular disease of a variety known to be accompanied by syncope, dyspnea, collapse, or congestive cardiac failure.

(5) Has no established medical history or clinical diagnosis of a respiratory dysfunction likely to interfere with his ability to control and drive a commercial motor vehicle safely.

(6) Has no current clinical diagnosis of high blood pressure likely to interfere with his ability to operate a commercial motor vehicle safely.

(7) Has no established medical history or clinical diagnosis of rheumatic, arthritic, orthopedic, muscular, neuromuscular, or vascular disease which interferes with his ability to control and operate a commercial motor vehicle safely.

(8) Has no established medical history or clinical diagnosis of epilepsy or any other condition which is likely to cause loss of consciousness or any loss of ability to control a commercial motor vehicle.

(9) Has no mental, nervous, organic, or functional disease or psychiatric disorder likely to interfere with his ability to drive a commercial motor vehicle safely.

(10) Has distant visual acuity of at least 20/40 (Snellen) in each eye without corrective lenses or visual acuity separately corrected to 20/40

(Snellen) or better with corrective lenses, distinct binocular acuity of at least 20/40 (Snellen) in both eyes with or without corrective lenses, field of vision of at least 70 degrees in the horizontal meridian in each eye, and the ability to recognize the colors of traffic signals and devices showing standard red, green and amber.

(11) First perceives a forced whispered voice in the better ear at not less than 5 feet with or without the use of a hearing aid, or, if tested by

use of an audiometric device, does not have an average hearing loss in the better ear greater than 40 decibels at 500 Hz, 1,000 Hz and 2,000 Hz with or without a hearing aid when the audiometric device is calibrated to American National Standard (formerly ASA Standard) Z24.5-1951.

(12) (i) Does not use any drug or substance identified in 21 CFR 1308.11 Schedule I, an amphetamine, a narcotic, or any other habit-forming drug. (ii) Does not use any non-Schedule

I drug or substance that is identified in the other Schedules in 21 part 1308 except when the use is prescribed by a licensed medical practitioner, as defined in § 382.107, who is familiar with driver's medical history and has advised the driver that the substance will not adversely affect the driver's ability to safely operate a commercial motor vehicle.

(13) Has no current clinical diagnosis of alcoholism.

## INSTRUCTIONS TO THE MEDICAL EXAMINER

### General Information

Review these instructions before examining the driver. If you are a licensed Physician Assistant or Advanced Practice Nurse, **you must be under a physician's supervision to perform this exam.** If you are a Doctor of Chiropractic **you must be clinically competent to perform the medical examination.** Only a Physician Assistant, Advanced Practice Registered Nurse, Doctor of Medicine (MD), or a Doctor of Osteopathy (DO) can perform the examination for persons who will drive a School Bus, School Pupil Activity Bus, Youth Bus, General Public Paratransit Vehicle, or Farm Labor Vehicle. The medical certificate and medical report must be signed by the medical examiner who performs the examination.

The purpose of this examination is to determine a driver's physical qualification to operate a commercial motor vehicle (CMV) in interstate commerce according to the requirements in 49 CFR 391.41-49. Therefore, the medical examiner must be knowledgeable of these requirements and guidelines developed by the FMCSA to assist the medical examiner in making the qualification determination. The medical examiner should be familiar with the driver's responsibilities and work environment and is referred to the section on the form, The Driver's Role.

In addition to reviewing the Health History section with the driver and conducting the physical examination, the medical examiner should discuss common prescriptions and over-the-counter medications relative to the side effects and hazards of these medications while driving. Educate the driver to read warning labels on all medications. History of certain conditions may be cause for rejection, particularly if required by regulation, or may indicate the need for additional laboratory tests or more stringent examination perhaps by a medical specialist. These decisions are usually made by the medical examiner in light of the driver's job responsibilities, work schedule and potential for the condition to render the driver unsafe.

Medical conditions should be recorded even if they are not cause for denial, and they should be discussed with the driver to encourage appropriate remedial care. This advice is especially needed when a condition, if neglected, could develop into a serious illness that could affect driving.

If the medical examiner determines that the driver is fit to drive and is also able to perform non-driving responsibilities as may be required, the medical examiner signs the medical certificate which the driver must carry with his/her license. The certificate must be dated. Under current regulations, the certificate is valid for two years, unless the driver has a medical condition that does not prohibit driving but does require more frequent monitoring. In such situations, the medical certificate should be issued for a shorter length of time. The physical examination should be done carefully and at least as complete as is indicated by the attached form. **CONTACT THE FMCSA AT (202) 366-4001 FOR FURTHER INFORMATION** (a vision exemption, Skill Performance Evaluation (SPE) Certificate, exempt intracity zone, qualifying drivers under 49 CFR 391.64, etc.). **NOTE:** In California, if a driver is only qualified when accompanied by a waiver/exemption, Skill Performance Evaluation Certificate, or when qualified by operation of 49 CFR 391.64, a copy of the waiver/exemption or certificate must be attached to the medical report before submission to the California Department of Motor Vehicles. If the driver does not already have such a waiver/exemption or certificate, do not check the "waiver/exemption or certificate" boxes. If a driver does not qualify **solely** on the standards in 49 CFR 391.41(b) 1,2,10, or 11, he/she may be eligible for a restricted California commercial license. Please check the appropriate box on page 4.

DMV has a booklet, *A Physician's Guide for Commercial Driver License Medical Exams*. This booklet contains guidelines that supplement the federal regulations. Medical examiners may request a copy of this booklet by calling (916) 657-5691. State and federal laws require this exam.

### Interpretation of Medical Standards

Since the issuance of the regulations for physical qualifications of commercial drivers, the Federal Motor Carrier Safety Administration (FMCSA) has published recommendations called Advisory Criteria to help medical examiners in determining whether a driver meets the physical qualifications for commercial driving. These recommendations have been condensed to provide information to medical examiners that (1) is directly relevant to the physical examination and (2) is not already included in the medical examination form. The specific regulation is printed in italics and its reference by section is highlighted.

### Federal Motor Carrier Safety Regulations Advisory Criteria

#### Loss of Limb: §391.41(b)(1)

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no loss of a foot, leg, hand or an arm, or has been granted a Skill Performance Evaluation (SPE) Certificate pursuant to §391.49.*

#### Limb Impairment: §391.41(b)(2)

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no impairment of: (i) A hand or finger which interferes with prehension or power grasping; or (ii) An arm, foot, or leg which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or Any other significant limb defect or limitation which interferes with the ability to perform normal tasks associated with operating a commercial motor vehicle; or Has been granted a Skill Performance Evaluation (SPE) Certificate pursuant to §391.49.*

A person who suffers loss of a foot, leg hand or arm or whose limb impairment in any way interferes with the safe performance of normal tasks associated with operating a commercial motor vehicle is subject to the Skill Performance Evaluation (SPE) Certification Program pursuant to §391.49, assuming the person is otherwise qualified.

With the advancement of technology, medical aids and equipment modifications have been developed to compensate for certain disabilities. The SPE Certification Program (formerly the Limb

Waiver Program) was designed to allow persons with the loss of a foot or limb or with functional impairment to qualify under the Federal Motor Carrier Safety Regulations (FMCSRs) by use of prosthetic devices or equipment modifications which enable them to safely operate a commercial motor vehicle. Since there are no medical aids equivalent to the original body or limb, certain risks are still present, and thus restrictions may be included on individual SPE certificates when a State Director for the FMCSA determines they are necessary to be consistent with safety and public interest.

If the driver is found otherwise medically qualified (§391.41(b)(3) through (13)), the medical examiner must check on the medical certificate that the driver is qualified only if accompanied by a SPE certificate. The driver and the employing motor carrier are subject to appropriate penalty if the driver operates a commercial motor vehicle in interstate or foreign commerce without a current SPE certificate for his/her physical disability.

#### Diabetes: §391.41(b)(3)

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no established medical history or clinical diagnosis of diabetes mellitus currently requiring insulin for control.*

Diabetes mellitus is a disease which, on occasion, can result in a loss of consciousness or disorientation in time and space. Individuals who

require insulin for control have conditions which can get out of control by the use of too much or too little insulin, or food intake not consistent with the insulin dosage. Incapacitation may occur from symptoms of hyperglycemic or hypoglycemic reactions (drowsiness, semi-consciousness, diabetic coma or insulin shock).

The administration of insulin is, within itself, a complicated process requiring insulin, syringe, needle, alcohol sponge and a sterile technique. Factors related to long-haul commercial motor vehicle operations, such as fatigue, lack of sleep, poor diet, emotional conditions, stress, and concomitant illness, compound the dangers. The FMCSA has consistently held that a diabetic who uses insulin for control does not meet the minimum physical requirements of the FMCSRs.

Hypoglycemic drugs, taken orally, are sometimes prescribed for diabetic individuals to help stimulate natural body production of insulin. If the condition can be controlled by the use of oral medication and diet, then an individual may be qualified under the present rule. CMV drivers who do not meet the Federal diabetes standard may call (202) 366-4001 for an application for a diabetes exemption. (See Conference Report on Diabetic Disorders and Commercial Drivers and Insulin-Using Commercial Motor Vehicle Drivers at: <http://www.fmcsa.dot.gov/rulesregs/medreports.htm>).

**Cardiovascular Condition: §391.41(b)(4)**

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no current clinical diagnosis of myocardial infarction, angina pectoris, coronary insufficiency, thrombosis or any other cardiovascular disease of a variety known to be accompanied by syncope, dyspnea, collapse or congestive cardiac failure.*

The term "has no current clinical diagnosis of" is specifically designed to encompass: "a clinical diagnosis of" (1) a current cardiovascular condition, or (2) a cardiovascular condition which has not fully stabilized regardless of the time limit. The term "known to be accompanied by" is designed to include: a clinical diagnosis of a cardiovascular disease (1) which is accompanied by symptoms of syncope, dyspnea, collapse or congestive cardiac failure; and/or (2) which is likely to cause syncope, dyspnea, collapse or congestive cardiac failure.

It is the intent of the FMCSRs to render unqualified, a driver who has a current cardiovascular disease which is accompanied by and/or likely to cause symptoms of syncope, dyspnea, collapse, or congestive cardiac failure. However, the subjective decision of whether the nature and severity of an individual's condition will likely cause symptoms of cardiovascular insufficiency is on an individual basis and qualification rests with the medical examiner and the motor carrier. In those cases where there is an occurrence of cardiovascular insufficiency (myocardial infarction, thrombosis, etc), it is suggested before a driver is certified that he or she have a normal resting and stress electrocardiogram (ECG), no residual complications and no physical limitations, and is taking no medication likely to interfere with safe driving.

Coronary artery bypass surgery and pacemaker implantation are remedial procedures and thus, not unqualifying. Implantable cardioverter defibrillators are disqualifying due to risk of syncope. Coumadin is a medical treatment which can improve the health and safety of the driver and should not, by its use, medically disqualify the commercial driver. The emphasis should be on the underlying medical condition(s) which require treatment and the general health of the driver. The FMCSA should be contacted at (202) 366-4001 for additional recommendations regarding the physical qualification of drivers on coumadin. (See Cardiovascular Advisory Guidelines for the Medical Examination of Commercial Motor Vehicle Drivers at: <http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

**Respiratory Dysfunction §391.41(b)(5)**

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no established medical history or clinical diagnosis of a respiratory dysfunction likely to interfere with ability to control and drive a commercial motor vehicle safely.*

Since a driver must be alert at all times, any change in his or her mental state is in direct conflict with highway safety. Even the slightest impairment in respiratory function under emergency conditions (when greater oxygen supply is necessary for performance) may be detrimental to safe driving.

There are many conditions that interfere with oxygen exchange and may result in incapacitation, including emphysema, chronic asthma, carcinoma, tuberculosis, chronic bronchitis and sleep apnea. If the medical examiner detects a respiratory dysfunction, that in any way is likely to interfere with the driver's ability to safely control and drive a commercial motor vehicle, the driver must be referred to a specialist for further evaluation and therapy. Anticoagulation therapy for deep vein thrombosis and/or pulmonary thromboembolism is not unqualifying once optimum dose is achieved, provided lower extremity venous examinations remain normal and the treating physician gives a favorable recommendation. (See Conference on Pulmonary/Respiratory Disorders

and Commercial Drivers at: <http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

**Hypertension §391.41(b)(6)**

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no current clinical diagnosis of high blood pressure likely to interfere with the ability to operate a commercial motor vehicle safely.*

Hypertension alone is unlikely to cause sudden collapse; however, the likelihood increases when target organ damage, particularly cerebral vascular disease, is present. This regulatory criteria is based on FMCSA's Cardiovascular Advisory Guidelines for the Examination of CMV Drivers, which used the Sixth Report of the Joint National Committee on Detection, Evaluation, and Treatment of High Blood Pressure (1997).

Stage 1 hypertension corresponds to a systolic BP of 140-159 mmHg and/or a diastolic BP of 90-99 mmHg. The driver with a BP in this range is at low risk for hypertension-related acute incapacitation and may be medically certified to drive for a one-year period. Certification examination should be done annually thereafter and should be at or less than 140/90. If less than 160/100, certification may be extended one time for 3 months.

A blood pressure of 160-179 systolic and/or 100-109 diastolic is considered Stage 2 hypertension, and the driver is not necessarily unqualified during evaluation and institution of treatment. The driver is given a one time certification of three months to reduce his or her blood pressure to less than or equal to 140/90. A blood pressure in this range is an absolute indication for anti-hypertensive drug therapy. Provided treatment is well tolerated and the driver demonstrates a BP value of 140/90 or less, he or she may be certified for one year from date of the initial exam. The driver is certified annually thereafter.

A blood pressure at or greater than 180 (systolic) and 110 (diastolic) is considered Stage 3, high risk for an acute BP-related event. The driver may be not qualified, even temporarily, until reduced to 140/90 or less and treatment is well tolerated. The driver may be certified for 6 months and biannually (every 6 months) thereafter if at recheck BP is 140/90 or less.

Annual recertification is recommended if the medical examiner does not know the severity of hypertension prior to treatment.

An elevated blood pressure finding should be confirmed by at least two subsequent measurements on different days.

Treatment includes nonpharmacologic and pharmacologic modalities as well as counseling to reduce other risk factors. Most antihypertensive medications also have side effects, the importance of which must be judged on an individual basis. Individuals must be alerted to the hazards of these medications while driving. Side effects of somnolence or syncope are particularly undesirable in commercial drivers.

Secondary hypertension is based on the above stages. Evaluation is warranted if patient is persistently hypertensive on maximal or near-maximal doses of 2-3 pharmacologic agents. Some causes of secondary hypertension may be amenable to surgical intervention or specific pharmacologic treatment.

(See Cardiovascular Advisory Panel Guidelines for the Medical Examination of Commercial Motor Vehicle Drivers at:

<http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

**Rheumatic, Arthritic, Orthopedic, Muscular, Neuromuscular or Vascular Disease §391.41(b)(7)**

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no established medical history or clinical diagnosis of rheumatic, arthritic, orthopedic, muscular, neuromuscular or vascular disease*

*which interferes with the ability to control and operate a commercial motor vehicle safely.*

Certain diseases are known to have acute episodes of transient muscle weakness, poor muscular coordination (ataxia), abnormal sensations (paresthesia), decreased muscular tone (hypotonia), visual disturbances and pain which may be suddenly incapacitating. With each recurring episode, these symptoms may become more pronounced and remain for longer periods of time. Other diseases have more insidious onsets and display symptoms of muscle wasting (atrophy), swelling and paresthesia which may not suddenly incapacitate a person but may restrict his/her movements and eventually interfere with the ability to safely operate a motor vehicle. In many instances these diseases are degenerative in nature or may result in deterioration of the involved area.

Once the individual has been diagnosed as having a rheumatic, arthritic, orthopedic, muscular, neuromuscular or vascular disease, then he/she has an established history of that disease. The physician, when examining an individual should consider the following: (1) the nature and severity of the individual's condition (such as sensory loss or loss of strength); (2) the degree of limitation present (such as range of motion); (3) the likelihood of progressive limitation (not always present initially but may manifest itself over time); and (4) the likelihood of sudden incapacitation. If severe functional impairment exists, the driver does not qualify. In cases where more frequent monitoring is required, a certificate for a shorter period of time may be issued.

(See Conference on Neurological Disorders and Commercial Drivers at: <http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

**Epilepsy §391.41(b)(8)**

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no established medical history or clinical diagnosis of epilepsy or any other condition which is likely to cause loss of consciousness or any loss of ability to control a motor vehicle.*

Epilepsy is a chronic functional disease characterized by seizures or episodes that occur without warning, resulting in loss of voluntary control which may lead to loss of consciousness and/or seizures. Therefore, the following drivers cannot be qualified: (1) a driver who has a medical history of epilepsy; (2) a driver who has a current clinical diagnosis of epilepsy; or (3) a driver who is taking antiseizure medication.

If an individual has had a sudden episode of a nonepileptic seizure or loss of consciousness of unknown cause which did not require antiseizure medication, the decision as to whether that person's condition will likely cause loss of consciousness or loss of ability to control a motor vehicle is made on an individual basis by the medical examiner in consultation with the treating physician. Before certification is considered, it is suggested that a 6-month waiting period elapse from the time of the episode. Following the waiting period, it is suggested that the individual have a complete neurological examination. If the results of the examination are negative and antiseizure medication is not required, then the driver may be qualified.

In those individual cases where a driver has a seizure or an episode of loss of consciousness that resulted from a known medical condition (e.g., drug reaction, high temperature, acute infectious disease, dehydration or acute metabolic disturbance), certification should be deferred until the driver has fully recovered from that condition and has no existing residual complications, and is not taking antiseizure medication. Drivers with a history of epilepsy/seizures off antiseizure medication and seizure-free for 10 years may be qualified to drive a CMV in interstate commerce. Interstate drivers with a history of a single unprovoked seizure may be qualified to drive a CMV in interstate commerce

if seizure-free and off antiseizure medication for a 5-year period or more.  
(See Conference on Neurological Disorders and Commercial Drivers at:  
<http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

#### **Mental Disorders §391.41(b)(9)**

A person is physically qualified to drive a commercial motor vehicle if that person:  
*Has no mental, nervous, organic or functional disease or psychiatric disorder likely to interfere with the ability to drive a motor vehicle safely.*

Emotional or adjustment problems contribute directly to an individual's level of memory, reasoning, attention and judgment. These problems often underlie physical disorders. A variety of functional disorders can cause drowsiness, dizziness, confusion, weakness or paralysis that may lead to incoordination, inattention, loss of functional control and susceptibility to accidents while driving. Physical fatigue, headache, impaired coordination, recurring physical ailments and chronic "nagging" pain may be present to such a degree that certification for commercial driving is inadvisable. Somatic and psychosomatic complaints should be thoroughly examined when determining an individual's overall fitness to drive. Disorders of a periodically incapacitating nature, even in the early stages of development, may warrant disqualification.

Many bus and truck drivers have documented that "nervous trouble" related to neurotic, personality, emotional or adjustment problems is responsible for a significant fraction of their preventable accidents. The degree to which an individual is able to appreciate, evaluate and adequately respond to environmental strain and emotional stress is critical when assessing an individual's mental alertness and flexibility to cope with the stresses of commercial motor vehicle driving.

When examining the driver, it should be kept in mind that individuals who live under chronic emotional upsets may have deeply ingrained maladaptive or erratic behavior patterns. Excessively antagonistic, instinctive, impulsive, openly aggressive, paranoid or severely depressed behavior greatly interfere with the driver's ability to drive safely. Those individuals who are highly susceptible to frequent states of emotional instability (schizophrenia, affective psychoses, paranoia, anxiety or depressive neuroses) may warrant disqualification. Careful consideration should be given to the side effects and interactions of medications in the overall qualification determination. See Psychiatric Conference Report for specific recommendations on the use of these medications and potential hazards for driving.

(See Conference on Psychiatric Disorders and Commercial Drivers at:  
<http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

#### **Vision §391.41(b)(10)**

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has distant visual acuity of at least 20/40 (Snellen) in each eye with or without corrective lenses or visual acuity separately corrected to 20/40 (Snellen) or better with corrective lenses, distant binocular acuity of at least 20/40 (Snellen) in both eyes with or without corrective lenses, field of vision of at least 70 degrees in the horizontal meridian in each eye, and the ability to recognize the colors of traffic signals and devices showing standard red, green, and amber.*

The term "ability to recognize the colors of" is interpreted to mean if a person can recognize and distinguish among traffic control signals and devices showing standard red, green and amber, he or she meets the minimum standard, even though he or she may have some type of color perception deficiency. If certain color perception tests are administered, (such as Ishihara, Pseudoisochromatic, Yarn) and doubtful findings are discovered, a controlled test using signal red, green and amber may be employed to determine the driver's ability to recognize these colors.

Contact lenses are permissible if there is sufficient evidence to indicate that the driver has good tolerance and is well adapted to their use. Use of a contact lens in one eye for distance visual acuity and another lens in the other eye for near vision is not acceptable, nor are telescopic lenses acceptable for the driving of commercial motor vehicles.

If an individual meets the criteria by the use of glasses or contact lenses, the following statement shall appear on the Medical Examiner's Certificate: "Qualified only if wearing corrective lenses."

CMV drivers who do not meet the Federal Vision Standard may call (202) 366-4001 for an application for a vision exemption.

(See Visual Disorders and Commercial Drivers at:  
<http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

#### **Hearing §391.41(b)(11)**

A person is physically qualified to drive a commercial motor vehicle if that person:

*First perceives a forced whispered voice in the better ear at not less than 5 feet with or without the use of a hearing aid, or, if tested by use of an audiometric device, does not have an average hearing loss in the better ear greater than 40 decibels at 500 Hz, 1,000 Hz, and 2,000 Hz with or without a hearing aid when the audiometric device is calibrated to American National Standard (formerly ASA Standard) Z24.5-1951.*

Since the prescribed standard under the FMCSRs is the American Standards Association (ANSI), it may be necessary to convert the audiometric results from the ISO standard to the ANSI standard. Instructions are included on the Medical Examination report form.

If an individual meets the criteria by using a hearing aid, the driver must wear that hearing aid and have it in operation at all times while driving. Also, the driver must be in possession of a spare power source for the hearing aid.

For the whispered voice test, the individual should be stationed at least 5 feet from the examiner with the ear being tested turned toward the examiner. The other ear is covered. Using the breath which remains after a normal expiration, the examiner whispers words or random numbers such as 66, 18, 23, etc. The examiner should not use only sibilants (s-sounding test materials). The opposite ear should be tested in the same manner. If the individual fails the whispered voice test, the audiometric test should be administered.

If an individual meets the criteria by the use of a hearing aid, the following statement must appear on the Medical Examiner's Certificate: "Qualified only when wearing a hearing aid."

(See Hearing Disorders and Commercial Motor Vehicle Drivers at:  
<http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

#### **Drug Use §391.41(b)(12)**

A person is physically qualified to drive a commercial motor vehicle if that person *does not use any drug or substance identified in 21 CFR 1308.11, Schedule I, an amphetamine, a narcotic, or any other habit-forming drug. A driver may use a non-schedule I drug or substance that is identified in the other Schedules in 21 part 1308 if the substance or drug is prescribed by a licensed medical practitioner who: (A) is familiar with the driver's medical history, and assigned duties, and (B) has advised the driver that the prescribed substance or drug will not adversely affect the driver's ability to safely operate a commercial motor vehicle.*

This exception does not apply to methadone. The intent of the medical certification process is to medically evaluate a driver to ensure that the driver has no medical condition which interferes with the safe performance of driving tasks on a public road. If a driver uses a Schedule I drug or other substance, an amphetamine, a narcotic or any other habit-forming drug, it may be cause for the driver to be found medically unqualified. Motor carriers are encouraged to obtain a practitioner's written statement about the effects on transportation safety of the use of a particular drug.

A test for controlled substances is not required as part of this biennial certification process. The FMCSA or the driver's employer should be contacted directly for information on controlled substances and alcohol testing under Part 382 of the FMCSRs.

The term "uses" is designed to encompass instances of prohibited drug use determined by a physician through established medical means.

This may or may not involve body fluid testing. If body fluid testing takes place, positive test results should be confirmed by a second test of greater specificity. The term "habit-forming" is intended to include any drug or medication generally recognized as capable of becoming habitual, and which may impair the user's ability to operate a commercial motor vehicle safely.

The driver is medically unqualified for the duration of the prohibited drug(s) use and until a second examination shows the driver is free from the prohibited drug(s) use. Recertification may involve a substance abuse evaluation, the successful completion of a drug rehabilitation program, and negative drug test result. Additionally, given that the certification period is normally two years, the examiner has the option to certify for a period of less than 2 years if this examiner determines more frequent monitoring is required. (See Conference on Neurological Disorders and Commercial Drivers and Conference on Psychiatric Disorders and Commercial Drivers at:  
<http://www.fmcsa.dot.gov/rulesregs/medreports.htm>)

#### **Alcoholism §391.41(b)(13)**

A person is physically qualified to drive a commercial motor vehicle if that person:

*Has no current clinical diagnosis of alcoholism.*

The term "current clinical diagnosis of" is specifically designed to encompass a current alcoholic illness or those instances where the individual's physical condition has not fully stabilized, regardless of the time element. If an individual shows signs of having an alcohol-use problem, he or she should be referred to a specialist. After counseling and/or treatment, he or she may be considered for certification.



## MEDICAL EXAMINATION REPORT FOR COMMERCIAL DRIVER FITNESS DETERMINATION

**1. DRIVER INFORMATION** Driver completes this section. PRINT IN CAPITAL LETTERS - USING BLACK OR DARK BLUE INK.

LAST NAME				FIRST				DRIVER LICENSE NUMBER			
ADDRESS				CITY	STATE	ZIP	WORK TELEPHONE NUMBER ( )		HOME TELEPHONE NUMBER ( )		
SOCIAL SECURITY NUMBER		LICENSE CLASS <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C		STATE OF ISSUE		<input type="checkbox"/> New certification <input type="checkbox"/> Recertification <input type="checkbox"/> Follow up					
BIRTHDATE				AGE		SEX <input type="checkbox"/> M <input type="checkbox"/> F		EYES		HAIR	

**PLEASE READ THE "INSTRUCTIONS TO THE DRIVER" BEFORE ANSWERING.**

**MARK ONE OF THE DRIVING TYPES BELOW**

- |   |   |
|---|---|
| <input type="checkbox"/> NI Non-Excepted Interstate | <input type="checkbox"/> EI Excepted Interstate (Not available in California) |
| <input type="checkbox"/> NA Non-Excepted Intrastate | <input type="checkbox"/> EA Excepted Intrastate (Not available in California) |

**CHECK ONE OF THE BOXES BELOW**

- I am **NOT** submitting this medical examination report to obtain a certificate to operate a School Bus, School Pupil Activity Bus, Youth Bus, General Public Paratransit Vehicle, or Farm Labor Vehicle.
- I AM** submitting this medical examination report to apply for or retain a certificate to operate a School Bus, School Pupil Activity Bus, Youth Bus, General Public Paratransit Vehicle, or Farm Labor Vehicle.

**PLEASE READ THE FOLLOWING INFORMATION**

If you indicated you have submitted this medical examination report for one or more of the certificates listed above, your medical examination **MUST** be performed by a Physician Assistant, Advanced Practice Registered Nurse, Doctor of Medicine (MD), or Doctor of Osteopathy (DO). Your medical examination report and medical certificate **MUST** be signed by the physician who performed the examination. If your medical examination report does not indicate your medical examination was performed and signed by an MD, DO, Physician Assistant, or Advanced Practice Registered Nurse, DMV will not process your certificate application or accept your medical examination report, and your medical examination report will be returned to you.

**2. HEALTH HISTORY** Driver completes this section, but medical examiner is encouraged to discuss with driver.

<table style="width: 100%;"> <tr><td><b>Yes</b></td><td><b>No</b></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Any illness or injury in last 5 years</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Head/Brain injuries, disorders or illnesses</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Seizures, epilepsy</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">medication _____</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Eye disorders or impaired vision (except corrective lenses)</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Ear disorders, loss of hearing or balance</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Heart disease or heart attack, other cardiovascular condition</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">medication _____</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Heart surgery (valve replacement/ bypass, angioplasty, pacemaker)</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">High blood pressure</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">medication _____</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Muscular disease</td></tr> </table>	<b>Yes</b>	<b>No</b>	<input type="checkbox"/>	<input type="checkbox"/>	Any illness or injury in last 5 years		<input type="checkbox"/>	<input type="checkbox"/>	Head/Brain injuries, disorders or illnesses		<input type="checkbox"/>	<input type="checkbox"/>	Seizures, epilepsy		<input type="checkbox"/>	<input type="checkbox"/>	medication _____		<input type="checkbox"/>	<input type="checkbox"/>	Eye disorders or impaired vision (except corrective lenses)		<input type="checkbox"/>	<input type="checkbox"/>	Ear disorders, loss of hearing or balance		<input type="checkbox"/>	<input type="checkbox"/>	Heart disease or heart attack, other cardiovascular condition		<input type="checkbox"/>	<input type="checkbox"/>	medication _____		<input type="checkbox"/>	<input type="checkbox"/>	Heart surgery (valve replacement/ bypass, angioplasty, pacemaker)		<input type="checkbox"/>	<input type="checkbox"/>	High blood pressure		<input type="checkbox"/>	<input type="checkbox"/>	medication _____		<input type="checkbox"/>	<input type="checkbox"/>	Muscular disease		<table style="width: 100%;"> <tr><td><b>Yes</b></td><td><b>No</b></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Shortness of breath</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Lung disease, emphysema, asthma, chronic bronchitis</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Kidney disease, dialysis</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Liver disease</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Digestive problems</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Diabetes or elevated blood sugar controlled by:</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">diet</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">pills</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">insulin</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Nervous or psychiatric disorders, e.g., severe depression</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">medication _____</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Loss of, or altered consciousness</td></tr> </table>	<b>Yes</b>	<b>No</b>	<input type="checkbox"/>	<input type="checkbox"/>	Shortness of breath		<input type="checkbox"/>	<input type="checkbox"/>	Lung disease, emphysema, asthma, chronic bronchitis		<input type="checkbox"/>	<input type="checkbox"/>	Kidney disease, dialysis		<input type="checkbox"/>	<input type="checkbox"/>	Liver disease		<input type="checkbox"/>	<input type="checkbox"/>	Digestive problems		<input type="checkbox"/>	<input type="checkbox"/>	Diabetes or elevated blood sugar controlled by:		<input type="checkbox"/>	<input type="checkbox"/>	diet		<input type="checkbox"/>	<input type="checkbox"/>	pills		<input type="checkbox"/>	<input type="checkbox"/>	insulin		<input type="checkbox"/>	<input type="checkbox"/>	Nervous or psychiatric disorders, e.g., severe depression		<input type="checkbox"/>	<input type="checkbox"/>	medication _____		<input type="checkbox"/>	<input type="checkbox"/>	Loss of, or altered consciousness		<table style="width: 100%;"> <tr><td><b>Yes</b></td><td><b>No</b></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Fainting, dizziness</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Sleep disorders, pauses in breathing while asleep, daytime sleepiness, loud snoring</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Stroke or paralysis</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Missing or impaired hand, arm, foot, leg, finger, toe</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Spinal injury or disease</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Chronic low back pain</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Regular, frequent alcohol use</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td colspan="2">Narcotic or habit forming drug use</td></tr> </table>	<b>Yes</b>	<b>No</b>	<input type="checkbox"/>	<input type="checkbox"/>	Fainting, dizziness		<input type="checkbox"/>	<input type="checkbox"/>	Sleep disorders, pauses in breathing while asleep, daytime sleepiness, loud snoring		<input type="checkbox"/>	<input type="checkbox"/>	Stroke or paralysis		<input type="checkbox"/>	<input type="checkbox"/>	Missing or impaired hand, arm, foot, leg, finger, toe		<input type="checkbox"/>	<input type="checkbox"/>	Spinal injury or disease		<input type="checkbox"/>	<input type="checkbox"/>	Chronic low back pain		<input type="checkbox"/>	<input type="checkbox"/>	Regular, frequent alcohol use		<input type="checkbox"/>	<input type="checkbox"/>	Narcotic or habit forming drug use	
<b>Yes</b>	<b>No</b>																																																																																																																																							
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Any illness or injury in last 5 years																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Head/Brain injuries, disorders or illnesses																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Seizures, epilepsy																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
medication _____																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Eye disorders or impaired vision (except corrective lenses)																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Ear disorders, loss of hearing or balance																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Heart disease or heart attack, other cardiovascular condition																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
medication _____																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Heart surgery (valve replacement/ bypass, angioplasty, pacemaker)																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
High blood pressure																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
medication _____																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Muscular disease																																																																																																																																								
<b>Yes</b>	<b>No</b>																																																																																																																																							
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Shortness of breath																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Lung disease, emphysema, asthma, chronic bronchitis																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Kidney disease, dialysis																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Liver disease																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Digestive problems																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Diabetes or elevated blood sugar controlled by:																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
diet																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
pills																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
insulin																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Nervous or psychiatric disorders, e.g., severe depression																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
medication _____																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Loss of, or altered consciousness																																																																																																																																								
<b>Yes</b>	<b>No</b>																																																																																																																																							
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Fainting, dizziness																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Sleep disorders, pauses in breathing while asleep, daytime sleepiness, loud snoring																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Stroke or paralysis																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Missing or impaired hand, arm, foot, leg, finger, toe																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Spinal injury or disease																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Chronic low back pain																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Regular, frequent alcohol use																																																																																																																																								
<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																							
Narcotic or habit forming drug use																																																																																																																																								

**For any YES answer, indicate onset date, diagnosis, treating physician's name and address, and any current limitation. List all medications (including over-the-counter medications) used regularly or recently. (Attach additional sheet, if needed).**

**I certify (or declare) under penalty of perjury under the laws of the State of California that the foregoing is true and correct. I understand that inaccurate, false or missing information may invalidate the examination and my Medical Examiner's Certification.**

DRIVER'S SIGNATURE	DATE								
	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 20px; height: 20px;">M</td> <td style="width: 20px; height: 20px;">M</td> <td style="width: 20px; height: 20px;">D</td> <td style="width: 20px; height: 20px;">D</td> <td style="width: 20px; height: 20px;">Y</td> <td style="width: 20px; height: 20px;">Y</td> <td style="width: 20px; height: 20px;">Y</td> <td style="width: 20px; height: 20px;">Y</td> </tr> </table>	M	M	D	D	Y	Y	Y	Y
M	M	D	D	Y	Y	Y	Y		

DRIVER LICENSE NUMBER	NAME	DATE OF EXAM
-----------------------	------	--------------

### MEDICAL EXAMINER COMPLETES SECTIONS 3 THROUGH 8

<b>QUALIFIED</b>	<b>NOT QUALIFIED</b>	Check each item in appropriate box to show "Qualified" or "Not Qualified". Explain any special findings or test results NOT in an acceptable tolerance range.
------------------	----------------------	---

□	□	<p><b>3. VISION Numerical readings must be provided</b></p> <p><b>Standard: At least 20/40 acuity (Snellen) in each eye with or without correction. At least 70 degrees peripheral in horizontal meridian measured in each eye. The use of corrective lenses should be noted on the Medical Examiner's Certificate.</b></p> <p><b>INSTRUCTIONS:</b> When other than the Snellen chart is used, give test results in Snellen-comparable values. In recording distance vision, use 20 feet as normal. Report visual acuity as a ratio with 20 as numerator and the smallest type read at 20 feet as denominator. If the applicant wears corrective lenses, these should be worn while acuity is being tested. If the driver habitually wears contact lenses, or intends to do so while driving, sufficient evidence of good tolerance and adaptation to their use must be obvious. Monocular drivers are not qualified.</p> <table border="1" style="width: 100%;"> <tr> <th colspan="4" style="text-align: center;">Numerical readings must be provided.</th> </tr> <tr> <th>ACUITY</th> <th>UNCORRECTED</th> <th>CORRECTED</th> <th>HORIZONTAL FIELD OF VISION</th> </tr> <tr> <td>Right Eye</td> <td>20/</td> <td>20/</td> <td>Right Eye <input type="checkbox"/></td> </tr> <tr> <td>Left Eye</td> <td>20/</td> <td>20/</td> <td>Left Eye <input type="checkbox"/></td> </tr> <tr> <td>Both Eyes</td> <td>20/</td> <td>20/</td> <td></td> </tr> </table> <p>Applicant can recognize and distinguish among traffic control signals and devices showing standard red, green and amber colors?..... <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Applicant meets visual acuity requirement only when wearing: ..... <input type="checkbox"/> Corrective Lenses</p> <p>Monocular Vision (one eye blind):..... <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Complete next line only if vision testing is done by an ophthalmologist or optometrist</p> <table border="1" style="width: 100%;"> <tr> <td>DATE OF EXAMINATION</td> <td>(IF APPLICABLE) NAME OF OPHTHALMOLOGIST OR OPTOMETRIST (PRINT)</td> </tr> <tr> <td>TELEPHONE NO.</td> <td>LICENSE NO./STATE OF ISSUE</td> </tr> <tr> <td></td> <td>SIGNATURE</td> </tr> </table> <p style="text-align: right; margin-right: 50px;"><b>X</b></p>	Numerical readings must be provided.				ACUITY	UNCORRECTED	CORRECTED	HORIZONTAL FIELD OF VISION	Right Eye	20/	20/	Right Eye <input type="checkbox"/>	Left Eye	20/	20/	Left Eye <input type="checkbox"/>	Both Eyes	20/	20/		DATE OF EXAMINATION	(IF APPLICABLE) NAME OF OPHTHALMOLOGIST OR OPTOMETRIST (PRINT)	TELEPHONE NO.	LICENSE NO./STATE OF ISSUE		SIGNATURE
Numerical readings must be provided.																												
ACUITY	UNCORRECTED	CORRECTED	HORIZONTAL FIELD OF VISION																									
Right Eye	20/	20/	Right Eye <input type="checkbox"/>																									
Left Eye	20/	20/	Left Eye <input type="checkbox"/>																									
Both Eyes	20/	20/																										
DATE OF EXAMINATION	(IF APPLICABLE) NAME OF OPHTHALMOLOGIST OR OPTOMETRIST (PRINT)																											
TELEPHONE NO.	LICENSE NO./STATE OF ISSUE																											
	SIGNATURE																											

□	□	<p><b>4. HEARING Numerical readings must be provided.</b></p> <p><b>Standard: a) Must first perceive forced whispered voice ≥ 5 ft., with or without hearing aid, or b) average hearing loss in better ear ≤ 40 dB.</b></p> <p><input type="checkbox"/> Check if hearing aid used for tests. <input type="checkbox"/> Check if hearing aid <b>required</b> to meet standard.</p> <p><b>INSTRUCTIONS:</b> To convert audiometric test results from ISO to ANSI, - 14 dB from ISO for 500 Hz, - 10dB for 1,000 Hz, - 8.5 dB for 2,000 Hz. To average, add the readings for 3 frequencies tested and divide by 3.</p> <table border="1" style="width: 100%;"> <tr> <th colspan="6" style="text-align: center;">Numerical readings must be recorded.</th> </tr> <tr> <th rowspan="2"></th> <th colspan="2" style="text-align: center;">RIGHT EAR</th> <th colspan="2" style="text-align: center;">LEFT EAR</th> <th rowspan="2"></th> </tr> <tr> <th>500 Hz</th> <th>1000 Hz</th> <th>2000 Hz</th> <th>500 Hz</th> <th>1000 Hz</th> <th>2000 Hz</th> </tr> <tr> <td>a) Record distance from individual at which forced whispered voice can first be heard.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>b) If audiometer is used, record hearing loss in decibels. (acc. to ANSI Z24.5-1951)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td colspan="3" style="text-align: center;">AVERAGE</td> <td colspan="3" style="text-align: center;">AVERAGE</td> </tr> </table>	Numerical readings must be recorded.							RIGHT EAR		LEFT EAR			500 Hz	1000 Hz	2000 Hz	500 Hz	1000 Hz	2000 Hz	a) Record distance from individual at which forced whispered voice can first be heard.							b) If audiometer is used, record hearing loss in decibels. (acc. to ANSI Z24.5-1951)								AVERAGE			AVERAGE		
Numerical readings must be recorded.																																									
	RIGHT EAR		LEFT EAR																																						
	500 Hz	1000 Hz	2000 Hz	500 Hz		1000 Hz	2000 Hz																																		
a) Record distance from individual at which forced whispered voice can first be heard.																																									
b) If audiometer is used, record hearing loss in decibels. (acc. to ANSI Z24.5-1951)																																									
	AVERAGE			AVERAGE																																					

□	□	<p><b>5. BLOOD PRESSURE/PULSE RATE Numerical readings must be recorded. Medical Examiner should take at least two readings to confirm BP.</b></p> <table border="1" style="width: 100%;"> <tr> <th colspan="2" style="text-align: center;">BLOOD PRESSURE</th> <th rowspan="2" style="text-align: center;">READING</th> <th rowspan="2" style="text-align: center;">HYPERTENSION CATEGORY</th> <th rowspan="2" style="text-align: center;">EXPIRATION DATE FOR CERTIFICATE</th> <th rowspan="2" style="text-align: center;">RECERTIFICATION</th> </tr> <tr> <th style="text-align: center;">SYSTOLIC</th> <th style="text-align: center;">DIASTOLIC</th> </tr> <tr> <td></td> <td></td> <td>139/89 or lower with no history of Stage 1-3 hypertension currently requiring medication</td> <td>N/A Driver qualified</td> <td>2 years</td> <td>Every 2 years</td> </tr> <tr> <td></td> <td></td> <td>140-159/90-99</td> <td>Stage 1</td> <td>1 year</td> <td>1 year if 140/90 or less. One-time certificate for 3 months if 141-159/91-99.</td> </tr> <tr> <th colspan="2" style="text-align: center;">PULSE RATE</th> <td>160-179/100-109</td> <td>Stage 2</td> <td>One-time certificate for 3 months</td> <td>1 year from date of exam if 140/90 or less</td> </tr> <tr> <td colspan="2"><input type="checkbox"/> Regular <input type="checkbox"/> Irregular</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2">RECORD PULSE RATE:</td> <td>180/110 or higher</td> <td>Stage 3</td> <td>N/A Driver not qualified</td> <td>6 months from date of exam if 140/90 or less</td> </tr> </table>	BLOOD PRESSURE		READING	HYPERTENSION CATEGORY	EXPIRATION DATE FOR CERTIFICATE	RECERTIFICATION	SYSTOLIC	DIASTOLIC			139/89 or lower with no history of Stage 1-3 hypertension currently requiring medication	N/A Driver qualified	2 years	Every 2 years			140-159/90-99	Stage 1	1 year	1 year if 140/90 or less. One-time certificate for 3 months if 141-159/91-99.	PULSE RATE		160-179/100-109	Stage 2	One-time certificate for 3 months	1 year from date of exam if 140/90 or less	<input type="checkbox"/> Regular <input type="checkbox"/> Irregular						RECORD PULSE RATE:		180/110 or higher	Stage 3	N/A Driver not qualified	6 months from date of exam if 140/90 or less
BLOOD PRESSURE		READING	HYPERTENSION CATEGORY	EXPIRATION DATE FOR CERTIFICATE					RECERTIFICATION																															
SYSTOLIC	DIASTOLIC																																							
		139/89 or lower with no history of Stage 1-3 hypertension currently requiring medication	N/A Driver qualified	2 years	Every 2 years																																			
		140-159/90-99	Stage 1	1 year	1 year if 140/90 or less. One-time certificate for 3 months if 141-159/91-99.																																			
PULSE RATE		160-179/100-109	Stage 2	One-time certificate for 3 months	1 year from date of exam if 140/90 or less																																			
<input type="checkbox"/> Regular <input type="checkbox"/> Irregular																																								
RECORD PULSE RATE:		180/110 or higher	Stage 3	N/A Driver not qualified	6 months from date of exam if 140/90 or less																																			

□	□	<p><b>6. LABORATORY AND OTHER TEST FINDINGS Numerical readings must be recorded.</b></p> <p><b>Urinalysis is required.</b> Protein, blood or sugar in the urine may be an indication for further testing to rule out any underlying medical problem.</p> <table border="1" style="width: 100%;"> <tr> <th colspan="4" style="text-align: center;">URINE SPECIMEN</th> </tr> <tr> <td style="width: 25%;">SP. GR.</td> <td style="width: 25%;">PROTEIN</td> <td style="width: 25%;">BLOOD</td> <td style="width: 25%;">SUGAR</td> </tr> </table> <p>OTHER TESTING (DESCRIBE AND RECORD)</p>	URINE SPECIMEN				SP. GR.	PROTEIN	BLOOD	SUGAR
URINE SPECIMEN										
SP. GR.	PROTEIN	BLOOD	SUGAR							



DRIVER LICENSE NUMBER	NAME	DATE OF EXAM	
<b>7. PHYSICAL EXAMINATION</b>		HEIGHT IN.	WEIGHT LBS

The presence of a certain condition may not necessarily disqualify a driver, particularly if the condition is controlled adequately, is not likely to worsen or is readily amenable to treatment. Even if a condition does not disqualify a driver, the medical examiner may consider deferring the driver temporarily. Also, the driver should be advised to take the necessary steps to correct the condition as soon as possible, particularly if the condition, if neglected, could result in more serious illness that might affect driving.

**Check YES if there are any abnormalities. Check NO if the body system is normal.** Discuss any YES answers in detail in the space below, and indicate whether it would affect the driver's ability to operate a commercial motor vehicle safely. Enter applicable item number before each comment. If organic disease is present, note that it has been compensated for. Check each item in appropriate box to show "Qualified" or "Not Qualified".

As you complete items 1 - 12 below, you will find some items that have no clearly defined measures to indicate a driver is "qualified" or "not qualified". For such items, please check "qualified" if the driver's condition appears within normal limits.

See *Instructions To The Medical Examiner for guidance.*

Any abnormalities present?

QUALIFIED	NOT QUALIFIED	BODY SYSTEM	CHECK FOR:	YES*	NO
		1. General Appearance	Marked overweight, tremor, signs of alcoholism, problem drinking, or drug abuse.		
		2. Eyes	Pupillary equality, reaction to light, accommodation, ocular motility, ocular muscle imbalance, extraocular movement, nystagmus, exophthalmos, strabismus uncorrected by corrective lenses, retinopathy, cataracts, aphakia, glaucoma, macular degeneration.		
		3. Ears	Middle ear disease, occlusion of external canal, perforated eardrums.		
		4. Mouth and Throat	Irremediable deformities likely to interfere with breathing or swallowing.		
		5. Heart	Murmurs, extra sounds, enlarged heart, pacemaker.		
		6. Lungs and chest, not including breast examination	Abnormal chest wall expansion, abnormal respiratory rate, abnormal breath sounds including wheezes or alveolar rales, impaired respiratory function, dyspnea, cyanosis. Abnormal findings on physical exam may require further testing such as pulmonary tests and/or x-ray of chest.		
		7. Abdomen and Viscera	Enlarged liver, enlarged spleen, masses, bruits, hernia, significant abdominal Viscera wall muscle weakness.		
		8. Vascular system	Abnormal pulse and amplitude, carotid or arterial bruits, varicose veins.		
		9. Genito-urinary system.	Hernias.		
		10. Extremities - Limb impaired. Driver may be subject to SPE certificate if otherwise qualified.	Loss or impairment of leg, foot, toe, arm, hand, finger. Perceptible limp, deformities, atrophy, weakness, paralysis, clubbing, edema, hypotonia. Insufficient grasp and prehension in upper limb to maintain steering wheel grip. Insufficient mobility and strength in lower limb to operate pedals properly.		
		11. Spine, other musculoskeletal	Previous surgery, deformities, limitation of motion, tenderness.		
		12. Neurological	Impaired equilibrium, coordination or speech pattern; paresthesia asymmetric deep tendon reflexes, sensory or positional abnormalities, abnormal patellar and Babinski's reflexes, ataxia.		

\*COMMENTS

**8. PHYSICIAN, CHIROPRACTOR, PHYSICIAN ASSISTANT, OR ADVANCED PRACTICE REGISTERED NURSE COMPLETES THIS SECTION**

DRIVER LICENSE NUMBER	NAME	DATE OF EXAM
-----------------------	------	--------------

DRIVER'S IDENTITY VERIFIED BY:

- Driver License No:  Other Photo ID (Specify ID used):

**Medical Examiners Comments on Health History (The medical examiner must review and discuss with the driver any "yes" answers and potential hazards of medications, including over-the-counter medications, while driving.) If the driver has previously been diagnosed with Stage 1, Stage 2, or Stage 3 hypertension and continues to require medication for treatment of hypertension, please indicate here and follow instructions for reduced term of medical certificate.**

**PHYSICIAN NOTE:**

A Doctor of Medicine (MD), Doctor of Osteopathy (DO), Physician Assistant, or Advanced Practice Registered Nurse can perform a medical examination for persons submitting a medical examination report to operate one or more of the following: School Bus, School Pupil Activity Bus, Youth Bus, General Public Paratransit Vehicle, or Farm Labor Vehicle.

**Note certification status here. See *Instructions to the Medical Examiner* for guidance. I certify under penalty of perjury under the laws of the State of California that I am licensed, certified, and/or registered, in accordance with applicable State laws and regulations to perform physical examinations, that I have examined the driver named above in accordance with the Motor Carrier Safety Regulations (49 CFR 391.41 – 391.49) and with knowledge of the driving duties, I find this person:**

**(CHECK ALL THAT APPLY)**

- Meets standards in 49 CFR 391.41; qualifies for 2 year medical certificate effective (must insert date) \_\_\_\_ / \_\_\_\_ / \_\_\_\_ and which will expire (must insert date) \_\_\_\_ / \_\_\_\_ / \_\_\_\_.
- Does not meet standards
  - May qualify for California restricted CDL if solely unqualified based on 49 CFR 391.41(b)1,2,10, or 11.
- Meets standards, but periodic evaluation required due to \_\_\_\_\_
- Driver qualified only for:
  - 3 months  6 months  1 year  Other \_\_\_\_\_
 Medical certificate effective (must insert date) \_\_\_\_ / \_\_\_\_ / \_\_\_\_ and will expire (must insert date) \_\_\_\_ / \_\_\_\_ / \_\_\_\_.
- Temporarily disqualified due to (condition or medication): \_\_\_\_\_
- Return to medical examiner's office for follow up on \_\_\_\_\_

**ONLY QUALIFIED WHEN:**

- Wearing corrective lenses
- Wearing hearing aid

**CHECK THE BOXES BELOW ONLY WHEN THE DRIVER PRESENTS ONE OF THE DOCUMENTS LISTED, A COPY OF WHICH MUST BE ATTACHED TO THIS REPORT.**

- Accompanied by a \_\_\_\_\_ waiver/exemption. Driver must present exemption at time of certification. (must attach copy)
- Accompanied by a Skill Performance Evaluation (SPE) Certificate (must attach copy)
- Driving within an exempt intracity zone (not applicable in California)
- Qualified by operation of 49 CFR 391.64 (must attach copy of waiver/exemption)

**A completed examination form is on file in my office.**

MEDICAL EXAMINER'S NAME (PRINT)

TITLE  Physician  Chiropractor  Physician Assistant  Advanced Practice Registered Nurse  
 M.D.  D.O.)

ADDRESS

STATE MEDICAL LICENSE OR CERTIFICATE NUMBER	STATE OF ISSUE	REVIEWED BY (Indicate Tech ID#)	Field Office	HDQTRS
MEDICAL LICENSE/CERTIFICATE ISSUE DATE	MEDICAL LICENSE/CERTIFICATE EXPIRATION DATE	<input type="checkbox"/> Forward for further review		
MEDICAL EXAMINER'S SIGNATURE	TELEPHONE NUMBER	UPDATED BY (TECH #)	DATE UPDATED	

If driver meets standards, complete a Medical Examiner's Certificate according to 49 CFR 391.43(h). (Driver must carry certificate when operating a commercial vehicle.)

**PLACE DOCTOR'S OFFICE STAMP IN THIS SPACE OR ATTACH OFFICE LETTERHEAD**

---

**DMV COMPLETES THIS SECTION**